


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.57



HARDY PERENNIALS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY

SPRING 1923

INTRODUCTION.

In presenting our catalogue to the Horticultural Trade we wish to point out that we grow only Hardy Perennials and closely allied subjects, and confine ourselves strictly to a Wholesale Business.

We trust our catalogue will be of interest to all branches of the Trade, whether it is the florist who requires hardy plants for cut flowers, the seedsman who requires them for filling orders, those engaged in landscape work, or the nurseryman. The inquiries of all are solicited and will receive prompt and careful attention.

Every effort has been made to obtain accuracy in the descriptions in this catalogue. They are the impressions we received from the plants when in flower.

We take special pains to keep our stocks true to name, and, with the exception of biennials and mixed strains, we do not raise from seed any plants that are variable.

TERMS

Accounts are due in thirty days; cash or satisfactory references are required from unknown correspondents.

Prices in this catalogue include packing.

HARDY PERENNIALS.

| ACHILLEA | Per Doz. | Per 100 |
|--|----------|---------|
| <i>flipendulina</i> . A strong growing plant with fern-like foliage, bearing large flat heads of yellow flowers. Useful for mixed borders and shrubberies. 4 ft. July-August. | \$2.00 | \$12.00 |
| <i>Ptarmica</i> . The varieties of Achillea Ptarmica are among the most useful of hardy plants for cutting. If they are cut hard back after the first flowers are past, a second crop will be produced in early fall. The following varieties have been propagated from the true original stocks. | | |
| " <i>Boule de Nieve</i> .. Sprays of small double white flowers. 12 to 18 inches. June-September. | 1.50 | 10.00 |
| " <i>The Pearl</i> . White. 2 ft. June-September. | 1.50 | 10.00 |
| " <i>Snowball</i> . An improvement on the last variety, bearing larger and fuller flowers. | 2.00 | 12.00 |
| <i>tomentosa</i> . A dwarf rock plant with heads of yellow flowers. 6 inches. June. | 1.50 | 10.00 |
| AJUGA <i>genevensis</i> . Intense blue flowers. 6 inches. June. | 1.50 | 10.00 |
| ALYSSUM <i>saxatile compactum</i> . (Gold Dust) Masses of yellow flowers in April and May. 1 foot. | 1.25 | 8.00 |
| ANCHUSA | | |
| <i>italica</i> Dropmore Variety. Tall spikes of rich gentian-blue flowers. 3 to 4 ft. June-July. | 2.00 | 12.00 |
| " <i>Opal</i> . Light blue. 3 to 4 ft. June-July. | 2.00 | 12.00 |
| AQUILEGIA | | |
| <i>coerulea</i> . (Rocky Mountain Columbine) Blue and white flowers with long slender spurs. 2 ft. May-June. | 1.50 | 10.00 |
| <i>nivea grandiflora</i> . Large pure white flowers ; robust habit. 2½ ft. May-June. | 1.25 | 8.00 |
| ARMERIA | | |
| <i>maritima alba</i> . (Thrift. Sea Pink) Compact tufts of grass-like foliage. entirely covered in May and June with globular heads of white flowers. 6 inches. | 2.00 | |
| " <i>Laucheana</i> . This variety flowers continuously from May to September. 6 inches. | 1.25 | 8.00 |
| ARTEMISIA <i>lactiflora</i> . Fragrant Spiraea-like plumes of creamy white flowers are borne on stout erect stems from August to October. This plant will thrive in ordinary good soil, but the best results are obtained by growing it in a damp situation. 5 to 6 ft. August-October. | 2.00 | 12.00 |
| ASTER . (Michaelmas Daisy. Starwort) As a plant of general usefulness the aster stands unrivaled. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements make it one of the most popular of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually. | | |

| ASTER | Per Doz. Per 100 |
|---|------------------|
| Blue Gem. Bright blue flowers with three or four rows of petals. 2 ft. August-September. | 2.00 12.00 |
| Climax. A universal favorite. If given good treatment the flowers attain to three inches in diameter. The flowers are pale mauve with yellow centers, and are borne on long slender stems. 5 to 6 ft. September-October. | 1.50 10.00 |
| Maggie Perry. (New) Large soft mauve flowers borne in large trusses. 4 to 5 ft. September-October. | 2.00 12.00 |
| Perry's White. (New) A very free flowering variety of graceful habit. The flowers are large and of good substance. Good for cutting. 4 to 5 ft. Sept.-October | 2.00 12.00 |
| St. Egwyn. This variety forms a compact, symmetrical bush, and during September is entirely covered with large clear pink flowers. 2½ ft. | 1.50 10.00 |
| Well's White. Stout erect stems bearing a profusion of medium size flowers, creamy white in color. 4 ft. August-September. | 1.50 10.00 |
| White Climax. A white variety of Climax. | 2.00 12.00 |
| N. A. Lil Fardel. Large clear pink flowers. 3 ft. September-October. | 1.50 10.00 |
| DWARF ALPINE. | |
| alpinus. Large bluish purple flowers. 9 inches. May-June. | 1.20 |
| alpinus albus. A white variety of the above. | 1.50 |
| subcoeruleus. Large violet-purple flowers freely borne on slender erect stems. 1 ft. June-July | 1.50 10.00 |
| AUBRIETA deltoides. Raised from seed of named varieties of this species; various shades of red, pink, and lavender. 6 inches. April-May. | 2.00 12.00 |
| BAPTISIA australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue, lupine like flowers. The longer this plant remains undisturbed the more effective it becomes. 2½ ft. June-July. | 1.50 10.00 |
| BOLTONIA | |
| asteroides. A strong growing aster-like plant more adapted for woodland planting than for the border. White. 5 to 6 ft. August-September. | 1.50 10.00 |
| latisquama. Not so vigorous as the last. Pink flowers. 5 to 6 ft. September. | 1.50 10.00 |
| " nana. A somewhat uncommon plant whose beauty and usefulness are not sufficiently known. It forms a compact bush about 3 feet in height, and in September is smothered with dainty pink flowers. An excellent border plant and invaluable for cutting | 2.00 12.00 |
| CAMPANULA Medium. The well known and deservedly popular Canterbury Bell. Pink, white, blue, separate. | 1.00 7.00 |
| CENTAUREA | |
| macrocephala. A stately plant of robust habit, bearing large globular heads of golden yellow flowers. 4 to 5 ft. July-August. | 1.50 |
| montana. Woolly foliage and bright blue flowers. 1½ ft. June-July. | 1.50 10.00 |
| " alba. A white variety of the above. | 1.50 10.00 |
| " rosea. A pink variety. | 1.50 |
| ruthenica. Finely divided leaves and golden yellow flowers borne on slender, graceful stems. 3 ft. July. | 1.50 10.00 |

| | Per Doz. | Per 100 |
|--|----------|---------|
| CHELONE Lyoni. A very free flowering plant bearing large deep pink Penstemon-like flowers on sturdy erect stems. 2 ft. July-September. | 1.50 | |
| CHRYSANTHEMUM | | |
| maximum. (Shasta Daisy) A useful plant for cutting, the large white daisy-like flowers are produced over a long period. 2 ft. June-September. | 1.15 | 8.00 |
| uliginosum. White flowers with green centers, on long straight stems. Good for cutting. 4 to 5 ft. August-September. | 1.50 | 10.00 |
| COREOPSIS grandiflora. Frequently sold under the erroneous name of Coreopsis lanceolata. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout the summer, 2½ feet, | 1.00 | 7.00 |
| DELPHINIUM | | |
| Belladonna. Another invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½ to 3 feet. | 1.25 | 8.00 |
| grandiflorum. (chinense) Gentian-blue flowers and finely divided foliage. 1½ to 2 ft. June-October. | 1.25 | 8.00 |
| " album, A white variety of the above, | 1.50 | 8.00 |
| DIANTHUS | | |
| deltoides. (Maiden Pink) A trailing rock plant, also useful for border edging. 6 inches. June-July. | 1.25 | 8.00 |
| plumarius. A first rate mixture, beautifully frilled. Raised from seed of the finest named varieties. 1 ft. June-July. | 1.25 | 8.00 |
| DIELYTRA formosa. Dainty fern-like foliage and pink lyre-shaped flowers. 1 ft. May-August | 1.50 | 10.00 |
| DIGITALIS gloxinaeflora. (Foxglove) Pink, purple, and white. Separate | 1.00 | 7.00 |
| ECHINACEA purpurea. (Purple Coneflower) Large pinkish purple flowers. 4 to 5 ft. July-August | 1.50 | 10.00 |
| ECHINOPS Ritro. (Globe Thistle) A strong plant with handsome foliage bearing globular heads of glistening blue flowers. 3½ ft. July-August | 1.50 | 10.00 |
| ERIGERON glaucus. Violet-blue flowers. 1 ft. July | 1.25 | 8.00 |
| EULALIA gracillima. An ornamental grass having long, narrow, recurved leaves with a white stripe down the center of each. 5 to 6 ft. Clumps | 3.00 | 20.00 |
| EUPATORIUM | | |
| coelestinum. Very free flowering and valuable for cutting. Masses of ageratum-like flowers from August to October. 1½ to 2 ft. | 1.50 | 10.00 |
| Fraseri. Feathery white flowers. 2 ft. August-September | 1.00 | 7.00 |
| EUPHORBIA corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for shipping, and its small pure white flowers take the place of Gypsophia paniculata when that is past. Best results are obtained by allowing it to remain undisturbed for a number of years. 1½ to 2 ft. August-September | 1.50 | 10.00 |
| FUNKIA undulata variegata. Creamy white and green variegated leaves. 9 inches | 2.00 | 12.00 |
| GAILLARDIA grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivalled. 2 ft. June-October | 1.00 | 7.00 |

| | Per Doz. | Per 100 |
|--|----------|---------|
| GALEGA officinalis alba. (Goats' Rue) Clusters of pure white, fragrant, pea-shaped flowers. An excellent plant for the retail florist to grow, but the flowers will not stand shipping. 2½ ft. June-July | 1.50 | 10.00 |
| GYPSOPHILA paniculata. Cloud-like masses of small white flowers. One of the most popular plants for cutting. 2 feet. July. | 1.25 | 8.00 |
| HELENIUM | | |
| autumnale Riverton Beauty. Clear yellow flowers, with black centers. August-September. 4 ft. | 2.00 | 12.00 |
| autumnale superbum. Yellow. 4 ft. August-September. | 2.00 | 12.00 |
| Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July. | 1.50 | 10.00 |
| HELIANTHUS orgyalis. Tall graceful stems bearing yellow flowers on long stalks nearly their entire length. 6 to 8 ft. September. | 2.00 | |
| HELIOPSIS Pitcheriana. Golden yellow flowers throughout the summer. 3 ft. | 1.50 | 10.00 |
| HOLLYHOCK | | |
| Newport Pink. The best double pink. | 1.25 | 8.00 |
| Single mixed. A fine selected mixture. | 1.25 | 8.00 |
| IBERIS sempervirens. (Candytuft) Trusses of pure white flowers. 9 inches. April-May. | 1.50 | 10.00 |
| INCARVILLEA Delavayi. A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of <i>Bignonia grandiflora</i> ; they are dainty pink in color, the throat being yellow streaked with purple. They are borne in clusters of twelve flowers on stout upright stems. 2 to 2½ ft. July. | 2.50 | 15.00 |
| IRIS | | |
| cristata A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 inches. May. | 1.25 | 8.00 |
| pumila cyana. Violet purple, very free flowering. 9 in. May | 1.25 | 8.00 |
| " The Bride. Pure white. 9 inches. May. | 1.25 | 8.00 |
| verna. Blue flowers with yellow centers. 6 inches. May. | 1.25 | 8.00 |
| LIATRIS scariosa. (Blazing Star) Slender stems covered in August and September with deep purple flowers. 3 to 4 ft. | 1.50 | 10.00 |
| LINUM | | |
| perenne. A continuous succession of clouds of sapphire blue flowers throughout the summer. 2 ft. | 1.25 | 8.00 |
| " album. A white variety of the preceding. | 1.50 | 10.00 |
| Lobelia cardinalis. (Cardinal Flower) A moisture loving plant. Numerous long, graceful stems partially covered with scarlet flowers. 3 to 4 ft. July-August. | 1.50 | 10.00 |
| LUPINUS | | |
| polyphyllus. (Lupine) Strong spikes of deep blue pea-shaped flowers. 3 to 4 ft. June-July. | 1.50 | 10.00 |
| " albus. A white variety of the above. | 1.50 | 10.00 |
| " roseus. A pink variety. | 1.50 | 10.00 |
| " Excelsior. A mixed strain containing many new colors. | 2.00 | 12.00 |

| | Per Doz. | Per 100 |
|---|----------|---------|
| LYCHNIS chalcidonica. (Jerusalem Cross) Strong, upright stems terminating in large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July. | 1.25 | 8.00 |
| Viscaria splendens fl. pl. Intense crimson-scarlet double flowers. Good for cutting; very effective in electric light. 1 ft. June. | 2.00 | 12.00 |
| LYTHRUM virgatum Rose Queen. A symmetrical bush formed of numerous slender stems which are thickly covered three-quarters of their length with rosy pink flowers. This is a much superior plant to that sold as <i>Lythrum roseum superbum</i> , and should not be confused with it. | 2.00 | 12.00 |
| NEPETA Mussini. (Catmint) Silvery foliage and lavender flowers. 1 ft. May-June. | 1.50 | 10.00 |
| NIEREMBERGIA rivularis. Large pure white, cup-shaped covering a carpet of rich green foliage. 3 inches. June-October. | 1.50 | 10.00 |
| PAPAVER | | |
| orientale Mrs. Perry. Medium size flowers of a pleasing shade of pink are borne on sturdy stems. 3 ft. May-June. | 2.50 | 15.00 |
| " Mixed. A choice mixture raised from seed of best named varieties. 2 to 3 ft. May-June. | 1.50 | 10.00 |
| PHLOX | | |
| Albion. White with faint red eye, the whole flower gives the impression of being pale pink. Vigorous grower. 2½ ft. | 1.25 | 8.00 |
| Antonin Mercie. Lavender with white eye. 2 ft. | 1.25 | 8.00 |
| Bacchante. Fiery pink with crimson eye. 2 ft. | 1.25 | 8.00 |
| Baron van Dedem. Glowing crimson. 2 ft. | 1.50 | |
| Bridesmaid. White with crimson eye. 2½ ft. | 1.50 | 8.00 |
| Elizabeth Campbell. Large trusses of lustrous salmon-pink. 2 ft. | 2.50 | 16.00 |
| La Vogue. Rosy mauve. 2½ ft. | 1.25 | 8.00 |
| Louise Abbema. Pure white. 1½ ft. | 1.25 | 8.00 |
| Mrs. Jenkins. Pure white, large trusses. 2½ ft. | 1.25 | 8.00 |
| Sunshine. Deep pink. 2 ft. | 1.50 | 10.00 |
| Tapis Blanc. White. 1 ft. | 2.00 | |
| Thor. Very large dazzling pink flowers are borne in enormous trusses. 2½ ft. | 2.50 | |
| Widar. Reddish scarlet with white center. 2 ft. | 1.25 | 8.00 |
| suffrutocosa Miss Lingard. A good variety for cutting, pyramidal trusses of white flowers with faint lilac eyes. 2½ ft. June-September. | 1.50 | 10.00 |
| PHLOX, Dwarf Varieties. | | |
| amoena. Compact tufts of glossy green foliage and masses of vivid pink flowers in April and May. 9 inches | 1.25 | 8.00 |
| carolina. Numerous slender stems each terminating in a cluster of large deep rose pink flowers. 1 ft. May-June | 1.25 | 8.00 |
| subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 inches | 1.25 | 8.00 |
| " rosea. A pink variety. | 1.25 | 8.00 |
| PHYSALIS Franchetti. (Winter Cherry. Jack o' Lantern) A handsome and curious plant bearing bright orange, bladder-like calyces enclosing a cherry-like fruit. These can be dried and used for various decorative purposes throughout the winter. 2½ ft. October-November | 1.25 | 8.00 |

| | | Per Doz. | Per 100 |
|---------------------|---|----------|---------|
| PHYSOSTEGIA | | | |
| <i>virginiana</i> . | Long slender spikes closely covered with pinkish mauve flowers. 3 ft. July-August | 1.00 | 7.00 |
| " | <i>alba</i> . A white variety of the foregoing | 1.00 | 7.00 |
| " | <i>grandiflora</i> . A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft to 1½ ft high, each covered with large brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very few late flowering dwarf perennials. 1 to 1½ ft. August-September | 2.00 | 12.00 |
| PINK, Hardy. | A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June | | |
| | <i>Excelsior</i> . Delicate rose pink | 1.25 | 8.00 |
| | <i>Her Majesty</i> . Pure white; large flowers | 1.25 | 8.00 |
| | <i>Homer</i> . Deep rose with darker center | 1.25 | 8.00 |
| | <i>Juliette</i> . White, laced crimson | 1.25 | 8.00 |
| | <i>White Reserve</i> . Pure white | 1.25 | 8.00 |
| PLATYCODON | | | |
| | <i>grandiflorum</i> . (Ballon Flower) Blue bell-shaped flowers borne on slender stems. 2 ft. June-October | 1.00 | 7.00 |
| " | <i>album</i> . A white variety of the above | 1.00 | 7.00 |
| PLUMBAGO | <i>Larpenatae</i> . (Leadwort) Forms compact tufts of innumerable wiry stems each one terminating in a close truss of cobalt blue flowers. 1 ft. August-October | 2.00 | 12.00 |
| PYRETHRUM | <i>roseum</i> . Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June | 1.25 | 8.00 |
| RANUNCULUS | | | |
| | <i>acris</i> fl. pl. (Bachelors' Buttons) Small double yellow pom-pom flowers on branching stems. Valuable for cutting. 1 to 1½ ft. April-May | 1.50 | 10.00 |
| | <i>repens</i> fl. pl. Similar to the preceding but having a more spreading habit. 1 ft. April-May | 1.50 | 10.00 |
| RUDBECKIA | <i>Newmanni</i> . (Black-eyed Susan) Yellow flowers with dark brown centers. 2 ft. July-August | 1.25 | 8.00 |
| SALVIA | | | |
| | <i>azurea grandiflora</i> . Tall straight stems covered for half their length with sky blue flowers. 4 to 5 ft. August-October | 1.25 | 8.00 |
| | <i>Sclarea</i> . Large handsome leaves and spikes of pink and white flowers. 3 ft. July-August | 1.50 | 10.00 |
| SANTOLINA | <i>incana</i> . (Cotton Lavender) A compact growing half shrubby plant with silvery foliage. 1 ft | 1.25 | 8.00 |
| SEDUM | | | |
| | <i>acre</i> . (Stonecrop) A dwarf grower forming a thick carpet of green foliage which is completely covered with yellow flowers in May. 6 inches | 1.50 | 10.00 |
| | <i>album</i> . Small succulent green leaves which become bronze in the fall; white flowers. 6 inches. May-June | 1.50 | 10.00 |
| | <i>maximum purpureum</i> . Thick purple leaves and heads of pink flowers. 2 ft. September-October | 1.50 | 10.00 |
| | <i>spectabile</i> . Erect, sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color, they retain their beauty for two months. 1½ ft. August-September | 1.50 | 10.00 |
| " | <i>atropurpureum</i> . A deeper colored variety of the foregoing, being a vivid amaranth red | 1.50 | 10.00 |
| SIDALCEA | <i>candida</i> . Pure white mallow-like flowers on slender graceful stems. 2½ ft. July | 2.00 | |

| | Per Doz. | Per 100 |
|--|----------|---------|
| SPIRAEA | | |
| <i>Filipendula</i> . (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems growing from tufts of fern-like foliage. 1½ to 2 ft. June | 1.50 | 10.00 |
| “ fl. pl. A double variety of the preceding | 2.00 | |
| STATICE latifolia . (Sea Lavender) Branching flower stems bearing countless small, blue purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½ to 2 ft. August-September | 2.00 | 12.00 |
| STOKESIA | | |
| <i>cyanea</i> . A showy plant with a lengthy flowering period, large blue flowers on somewhat straggling stems. 1½ ft. August-October | 1.50 | 10.00 |
| “ <i>alba</i> . A white variety of the last | 1.50 | 10.00 |
| SWEET WILLIAM | | |
| Newport Pink. | 1.00 | 7.00 |
| Scarlet Bueaty. | 1.00 | 7.00 |
| White. | 1.00 | 7.00 |
| THERMOPSIS caroliniana . Grows into a large bush bearing sprays of clear yellow lupine-like flowers in great profusion. 3 to 4 ft. July | 1.50 | |
| THYMUS | | |
| <i>Serpyllum albus</i> . A fragrant, creeping rock plant quickly growing into a dense carpet, which becomes covered with white flowers in June and July | 1.50 | 10.00 |
| “ <i>coccineus</i> . A scarlet flowered variety | 1.50 | 10.00 |
| TIARELLA cordifolia . (Foam Flower) A quick growing plant of trailing habit. It bears little, starry, creamy white flowers, the buds being delicately tinged with pink. A mass of the flowers viewed from a short distance has the appearance of a wreath of foam. 1 ft. May-June | 1.25 | 8.00 |
| TRITOMA Pfitzeri . (Torch Lily. Red Hot Poker) A very distinct and handsome late flowering perennial, it blooms continuously from September until frost. The foliage is grass-like, and the flowers are tubular in shape and yellow and orange-scarlet in color, they are borne in torch-like heads on thick fleshy stems. Good for cutting. 2 to 3 ft. | 1.50 | 10.00 |
| VALERIANA officinalis . A strong growing and free flowering plant bearing large heads of faint pink flowers. 3 to 4 ft. June-July | 1.50 | 19.00 |
| VERONICA | | |
| <i>rupestris</i> . A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers. 6 inches | 1.50 | 10.00 |
| <i>spicata</i> . Spikes of blue flowers. 2 ft. June-July | 1.50 | 10.00 |
| <i>Teucrium</i> . The stems form spreading masses, covered in May and June with dense racemes of intense blue flowers. 1 ft. | 1.50 | 10.00 |
| VINCA minor . (Periwinkle. Trailing Myrtle) A well known blue flowered trailing plant | 1.25 | 8.00 |
| VIOLA cornuta Geo, Wermig . Rich purple. A free and continuous bloomer. 6 inches. May-August | 2.00 | |



HOYT PRINT



